REPUBLIC OF SOUTH AFRICA

THE ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 56 | 1989 | Numbers 1–4

AUTHOR INDEX

	Volume	Page
Alves, Regina M. R.		
The problem of escalating resistance of *Haemonchus contortus* to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN, L. VISSER REGINA, M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Ambrosio, R. E.		
The isolation of nucleic acid sequences specific for *Cowdria ruminantium*. S. C. WILKINS and R. E. AMBROSIO	56	127–129
Appleton, C. C.		
The structure of the shell and polar plugs of the egg of the whipworm. *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey (*Cercopithecus albogularis*). C. C. APPLETON and J. WHITE	56	219–221
Barham, W. T.		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Some observations on the narcotizing ability of electric currents on the common carp *Cyprinus carpio*. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Barnard, B. J. H.		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest (*Connochaetes taurinus*). B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS	56	131–134
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL	56	135–139
Basson, P. A.		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277–284
Bengis, R. G.		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest (*Connochaetes taurinus*). B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS	56	131–134
Bergh, N.		
The effect of passive immunization on active immunity against *Clostridium perfringens* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251–255
Bezuidenhout, J. D.		
The heterogenicity of *Cowdria ruminantium* stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Blouin, E. F.		
The fine structure of developmental stages of *Babesia caballi* in the salivary glands of *Hyalomma truncatum*. E. F. BLOUIN and D. T. DE WAAL	56	189–193
Comparative infection rates of *Theileria parva lawrencei* in salivary glands of *Rhipicephalus appendiculatus* and *Rhipicephalus zambeziensis*. E. F. BLOUIN and W. H. STOLTSZ	56	211–213
Boomker, J.		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Parasites of South African wildlife. IV. Helminths of kudu. *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MACIVOR	56	165–172
Botha, W. J. S.		
The effect of passive immunization on active immunity against *Clostridium perfringens* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251–255
Botha, W. S.		
Studies of encephalitozoonosis in vervet monkeys (*Cercopithecus pygerythrus*) orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs (*Canis familiaris*). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Bragg, R. R.		
A selective procedure for the field isolation of pathogenic *Streptococcus* spp. of rainbow trout (*Salmo gairdneri*). R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204

	Volume	Page
Buys, S. B.		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87–98
Chaparro, F.		
Serological evidence of Q fever in cattle in Malawi. G. P. STALEY, J. G. MYBURGH and F. CHAPARRO	56	205–206
Combrink, Marianne E.		
A selective procedure for the field isolation of pathogenic *Streptococcus* spp. of rainbow trout *(Salmo gairdneri)*. R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
De Klerk, D.		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
De Kock, K. N.		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271–275
De Vos, V.		
Parasites of South African wildlife. IV. Helminths of kudu, *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest *(Connochaetes taurinus)*. B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS	56	131–134
De Waal, D. T.		
The fine structure of developmental stages of *Babesia caballi* in the salivary glands of *Hyalomma truncatum*. E. F. BLOUIN and D. T. DE WAAL	56	189–193
Du Plessis, J. L.		
Immunity of tick-exposed seronegative and seropositive small stock challenged with two stocks of *Cowdria ruminantium*. J. L. DU PLESSIS and L. VAN GAS	56	185–188
The heterogenicity of *Cowdria ruminantium* stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Du Preez, J. H.		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	78–98
Dyce, A. L.		
An early record of *Culicoides* species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	85–86
Afrotropical *Culicoides: Synhelea* Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147–163
Elliott, E. G. R.		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Els, H. J.		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87–98
Enslin, C. B.		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa, A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
Flamand, J. R. B.		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal, J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Fourie, N.		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Frank, F.		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu *(Pennisetum clandestinum)* pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223–234
Gerber, H. M.		
The problem of escalating resistance of *Haemonchus contortus* to the modern anthelmintics in South Africa, J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Griessel, Monica D.		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest *(Connochaetes taurinus)*. B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS	56	131–134
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL	56	135–139

	Volume	Page
Heine, Heloise		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Herr, S.		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of *Campylobacter* species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143–144
Horak, I. G.		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Parasites of domestic and wild animals in South Africa, XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Parasites of South African wildlife. IV. Helminths of kudu, *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR	56	165–172
The host status of the striped mouse, *Rhabdomys pumilio* in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Howell, D. J.		
The host status of the striped mouse, *Rhabdomys pumilio* in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Jacobsz, Elsie P.		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277–284
Joubert, P. H.		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271–275
Keep, M. E.		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Kellerman, T. S.		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Kirkpatric, R.		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (*Pennisetum clandestinum*) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223–234
Kriel, Anna M. D.		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (*Pennisetum clandestinum*) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223–234
Labuschagne, Leonie		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Lordan, Shirley M.		
A selective procedure for the field isolation of pathogenic *Streptococcus* spp. of rainbow trout *(Salmo gairdneri)*. R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinca: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Louw, J. P.		
Nematodirus abnormalis (May, 1920) in sheep in the south-western part of the Cape Province. J. P. LOUW	56	141–142
Overberg research projects. VI. The biology and control of *Oestrus ovis* in sheep in the winter rainfall areas of the southern Cape. J. P. LOUW	56	239–244
MacIvor, K. M. de F.		
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR	56	165–172
Malan, F. S.		
The problem of escalating resistance of *Haemonchus contortus* to the modern anthelmintics in South Africa, J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49
Marshall, B. D.		
An early record of *Culicoides* species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	85–86

	Volume	Page
Meiswinkel, R.		
Afrotropical *Culicoides:* a redescription of C. *(Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied C. *(A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
Afrotropical *Culicoides: Synhelea* Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147–163
Afrotropical *Culicoides: C. (Avaritia) spinifer* Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Meyer, P.		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER	56	145–146
Myburgh, J. G.		
Serological evidence of Q fever in cattle in Malawi. G. P. STALEY, J. G. MYBURGH and F. CHAPARRO	56	205–206
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Neser, J. A.		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Odendaal, M. W.		
The effect of passive immunization on active immunity against *Clostridium perfringens* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251–255
Odiawo, G. O.		
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123–125
Olivier, J. A.		
The heterogenicity of *Cowdria ruminantium* stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PPLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Oosthuizen, J. H.		
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Pefanis, S. M.		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of *Campylobacter* species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143–144
Petney, T. N.		
The host status of the striped mouse, *Rhabdomys pumilio* in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Pretorius, S. J.		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271–275
Prozesky, L.		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
The pathology of blindness in new-born calves caused by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY	56	99–109
Reinecke, R. K.		
Overberg Research Projects. IV. The development of resistance to *Nematodirus* in lambs and spontaneous cure of *Teladorsagia* in weaners. R. K. REINECKE	56	81–84
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (*Pennisetum clandestinum*) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223–234
Scholtz, M. M.		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
Schoonbee, H. J.		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectrified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Some observations on the narcotizing ability of electric currents on the common carp *Cyprinus carpio*. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Schultz, R. Anitra		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Spickett, A. M.		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62

	Volume	Page
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT. D. DE KLERK. C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
Stadler, P.		
Adverse effects of a proposed equine sublethal endotoxin model. P. STADLER and S. R. VAN AMSTEL	56	207–209
Staley, G. P.		
Serological evidence of Q fever in cattle in Malawi. G. P. STALEY, J. G. MYBURGH and F. CHAPARRO	56	205–206
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Stewart, C. G.		
Studies of encephalitozoonosis in vervet monkeys *(Cercopithecus pygerythrus)* orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs *(Canis familiaris)*. A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Steyn, Helena C.		
The biochemical differentiation between *Salmonella* and *Citrobacter*. MARTHA L. VAN DER WALT and HELENA C. STEYN	56	263–269
Stoltsz, W. H.		
Comparative infection rates of *Theileria parva lawrencei* in salivary glands of *Rhipicephalus appendiculatus* and *Rhipicephalus zambeziensis*. E. F. BLOUIN and W. H. STOLTSZ	56	211–213
Sweatman, G. K.		
Seasonal abundance and parity of *Culicoides* biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Todd, Jacqueline M.		
A selective procedure for the field isolation of pathogenic *Streptococcus* spp. of rainbow trout *(Salmo gairdneri)*. R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
Trichardt, C. J. V.		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277–284
Van Amstel, S. R.		
Adverse effects of a proposed equine sublethal endotoxin model. P. STADLER and S. R. VAN AMSTEL	56	207–209
Van Dellen, A. F.		
Studies of encephalitozoonosis in vervet monkeys *(Cercopithecus pygerythrus)* orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs *(Canis familiaris)*. A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Van de Pypekamp, H. E.		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL	56	135–238
Van der Lugt, A. J. J.		
The pathology of blindness in new-born calves caused by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY	56	99–109
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunofluorescent, pathological and scrological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277–284
Van der Merwe, Sanette M.		
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Van der Walt, Martha L.		
The biochemical differentiation between *Salmonella* and *Citrobacter*. MARTHA L. VAN DER WALT and HELENA C. STEYN	56	263–269
Van Gas, L.		
Immunity of tick-exposed seronegative and seropositive small stock chalenged with two stocks of *Cowdria ruminantium*. J. L. DU PLESSIS and L. VAN GAS	56	185–188
The heterogenicity of *Cowdria ruminantium* stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Van Schalkwyk, L.		
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Van Schalkwyk, P. C.		
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262

	Volume	Page
Van Wyk, J. A.		
The problem of escalating resistance of *Haemonchus contortus* to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Venter, Catharina G.		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of *Campylobacter* species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143–144
Venter, G. J.		
Seasonal abundance and parity of *Culicoides* biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Visser, Evelyn L.		
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Visser, J. G. J.		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Some observations on the narcotizing ability of electric currents on the common carp *Cyprinus carpio*. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Visser, J. J.		
The effect of passive immunization on active immunity against *Clostridium perfringens* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251–255
White, J.		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221
Wilkens, S. C.		
The isolation of nucleic acid sequences specific for *Cowdria ruminantium*. S. C. WILKINS and R. E. AMBROSIO	56	127–129
Wouters, G.		
Hybridization model for *Rhipicephalis appendiculatus* and *R. zambeziensis* by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238

REPUBLIC OF SOUTH AFRICA

THE ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 56 | 1989 | Numbers 1–4

SUBJECT INDEX

	Volume	Page
Acarina		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Active immunity		
The effect of passive immunization on active immunity against *Clostridium perfringes* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251–255
Angora goats		
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR	56	165–172
Anthelmintics		
The problem of escalating resistance of *Haemonchus contortus* to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN, L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Arthropod parasites		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Babesia caballi		
The fine structure of developmental stages of *Babesia caballi* in the salivary glands of *Hyalomma truncatum*, E. F. BLOUIN and D. T. DE WAAL	56	189–193
Batracobdelloides tricarinata		
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirundinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SIRLEY M. LORDAN	56	203–204
Blindness		
The pathology of blindness in new-born calves by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY	56	99–109
Blue wildebeest		
Afrotropical *Culicoides:* a redescription of *C. (Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
Boer goats		
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR	56	165–172
Bonsmara		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
Bovine leptospirosis		
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Bovine pleuropneumonia		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunifluorescent, pathological and scrological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277–284
Buffalo		
Afrotropical *Culicoides:* a redescription of *C. (Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
Bushbuck		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Calves		
The pathology of blindness in new-born calves caused by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY	56	99–109

	Volume	Page
Campylobacter species		
The use of cephalothin and triphenyltertrazolium chloride impregnated filter paper strips in the indentification of *Campylobacter* species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143–144
Canis familiaris		
Studies of encephalitozoonosis in vervet monkeys *(Cercopithecus pygerythrus)* orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs *(Canis familiaris)*. A. F. VAN DELLEN, C. G. STEWART and W.S. BOTHA	56	1–22
Cardiotoxicosis		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Carp		
Some observations on the narcotizing ability of electric currents on the common carp *Cyprinus carpio*. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Catarrhal fever		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL	56	135–139
Cattle		
Afrotropical *Culicoides:* a redescription of *C. (Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov, reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123–125
Serological evidence of Q fever in cattle in Malawi. G. P. STALEY, J. G. MYBURGH and F. CHAPARRO	56	205–206
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
Cephalothin		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of *Campylobacter* species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143–144
Ceratopogonidae		
Afrotropical *Culicoides:* A redescription of *C. (Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
An early record of *Culicoides* species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa: A. L. DYCE and B. D. MARSHALL	56	85–86
Afrotropical *Culicoides: Synhelea* Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147–163
Seasonal abundance and parity of *Culicoides* biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER ans G. K. SWEATMAN	56	173–177
Afrotropical *Culicoides: C. (Avaritia) spinifer* Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Cercopithecus albogularis		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey (*Cercopithecus albogularis*). C. C. APPLETON and J. WHITE	56	219–221
Cercopithecus pygerythrus		
Studies of encephalitozoonosis in vervet monkeys (*Cercopithecus pygerythrus*) orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs (*Canis familiaris*). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Cichlid		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electric parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Citrobacter		
The biochemical differentiation between *Salmonella* and *Citrobacter*. MARTHA L. VAN DER WALT and HELENA C. STEYN	56	263–269
Clostridium perfringens type D		
The effect of passive immunization on active immunity against *Clostridium perfringens* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251–255
Connochaetes taurinus		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest (*Connochaetes taurinus*). B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS	56	131–134
Cowdria ruminantium		
The isolation of nucleic acid sequences specific for *Cowdria ruminantium*. S. C. WILKINS and R. E. AMBROSIO	56	127–129
Immunity of tick-exposed seronegative and seropositive small stock challenged with two stocks of *Cowdria ruminantium*. J. L. DU PLESSIS and L. VAN GAS	56	185–188

	Volume	Page
The heterogenicity of *Cowdria ruminantium* stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Culicoides		
Afrotropical *Culicoides*: a redescription of *C. (Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
An early record of *Culicoides* species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	85–86
Afrotropical *Culicoides: Synhelea* Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147–163
Seasonal abundance and parity of *Culicoides* biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Afrotropical *Culicoides: C. (Avaritia) spinifer* Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Culicoides (Avaritia) bolitinos		
Afrotropical *Culicoides:* a redescription of *C. (Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
Culicoides (Avaritia) micola		
Afrotropical *Culicoides*: a redescription of C. *(Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
Culicoides (Avaritia) spinifer		
Afrotropical *Culicoides:* C. *(Avaritia) spinifer* Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Cyprinus carpio		
Some observations on the narcotizing ability of electric currents on the common carp *Cyprinus carpio*. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Diptera		
Afrotropical *Culicoides:* a redescription of *C. (Avaritia) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied *C. (A) bolitinos* sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL	56	23–39
An early record of *Culicoides* species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	58–86
Afrotropical *Culicoides: Synhelea* Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147–163
Seasonal abundance and parity of *Culicoides* biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Afrotropical *Culicoides: C. (Avaritia) spinifer* Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Dogs		
Studies of encephalitozoonosis in vervet monkeys *(Cercopithecus pygerythrus)* orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs *(Canis familiaris)*. A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Domestic animals		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Duikers		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR	56	165–172
Eggs		
The structure of the shell and polar plugs of the eggs of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221
Electric currents		
Some observations on the narcotizing ability of electric currents on the common carp *Cyprinus carpio*. W. T. BARHAM, H. J. SCOONBEE and J. G. J. VISSER	56	215–218

	Volume	Page
Electronarcosis		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCOONBEE and J. G. J. VISSER	56	67–71
Emphysema		
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123–125
Encephalitozoon cuniculi		
Studies of encephalitozoonosis in vervet monkeys *(Cercopithecus pygerythrus)* orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs *(Canis familiaris)*. A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Encephalitozoonosis		
Studies of encephalitozoonosis in vervet monkeys *(Cercopithecus pygerythrus)* orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs *(Canis familiaris)*. A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Endotoxin		
Adverse effects of a proposed equine sublethal endotoxin model. P. STADLER and S. R. VAN AMSTEL	56	207–209
Ephemeral fever virus		
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123–125
Epizootology of catarrhal fever		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL	56	135–139
Equine sublethal endotoxin model		
Adverse effects of a proposed equine sublethal endotoxin model. P. STADLER and S. R. VAN AMSTEL	56	207–209
Equisetum ramosissimum		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER	56	145–146
Filter paper strips		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of *Campylobacter* species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143–144
Game animals		
An early record of *Culicoides* species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	85–86
Gastropoda		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271–275
Glossiphoniidae		
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Glucose-P-isomerase isoenzymes		
Hybridization model for *Rhipicephalis appendiculatus* and *R. zambeziensis* by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238
Gousiekte		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Grysbok		
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR	56	165–172
Habitat preferences of snail		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271–275
Haemonchus contortus		
The problem of escalating resistance of *Haemonchus contortus* to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49

	Volume	Page
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Half-wave currents		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Heartwater		
The host status of the striped mouse, *Rhabdomys pumilio* in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Helminths		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Parasites of South African wildlife. IV. Helminths of kudu. *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR	56	165–172
Hereford		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
Herpesvirus-1		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest (*Connochaetes taurinus*). B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS	56	131–134
Hirudinea		
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Hyalomma truncatum		
The fine structure of developmental stages of *Babesia caballi* in the salivary glands of *Hyalomma truncatum*. E. F. BLOUIN and D. T. DE WAAL	56	189–193
Hybridization model		
Hybridization model for *Rhipicephalis appendiculatus* and *R. zambeziensis* by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238
Hypovitaminosis		
The pathology of blindness in new-born calves caused by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY	56	99–109
Immunity of small stock		
Immunity of tick-exposed seronegative and seropositive small stock challenged with two stocks of *Cowdria ruminantium*. J. L. DU PLESSIS and L. VAN GAS	56	185–188
Infection rates		
Comparative infection rates of *Theileria parva lawrencei* in salivary glands of *Rhipicephalus appendiculatus* and *Rhipicephalus zambeziensis*. E. F. BLOUIN and W. H. STOLTSZ	56	211–213
Intermediate hosts		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the northwestern Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL.	56	135–139
Isoenzymes		
Hybridization model for *Rhipicephalis appendiculatus* and *R. zambeziensis* by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238
Ixodes rubicundus		
Paralysis of laboraoty rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Ixodidae		
Paralysis of laboratory rabbits by nymhae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Kikuyu		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu *(Pennisetum clandestinum)* pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223–234

	Volume	Page
Kudu		
Parasites of South African wildlife. IV. Helminths of kudu, *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121
Lambs		
Overberg Research Projects. IV. The development of resistance to *Nematodirus* in lambs and spontaneous cure of *Teladorsagia* in weaners. R. K. REINECKE	56	81–84
The effect of passive immunization on active immunity against *Clostridium perfringens* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251–255
Larvae		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu *(Pennisetum clandestinum)* pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223–234
Leech		
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Leptospirosis		
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Levamisole		
South African field strains of *Haemonclus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Livestock		
Seasonal abundance and parity of *Culicoides* biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidea). G. J. VENTER and G. K. SWEATMAN	56	173–177
Lymnaea columella		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK. P. H. JOUBERT and S. J. PRETORIUS	56	271–275
Malawi		
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Malva parviflora		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER	56	145–146
Medicago sativa		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER	56	145–146
Mice		
The heterogenicity of *Cowdria ruminantium* stocks: cross-immunity and serology in sheep and pathogenicity in mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Midges		
Seasonal abundance and parity of *Culicoides* biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Mollusca		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271–275
Morantel		
South African field strains of *Haemonchus contortus* resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Mouse		
The host status of striped mouse, *Rhabdomys pumilio* in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Narcotizing ability		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Some observations on the narcotizing ability of electric currents on the common carp *Cyprinus carpio*. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Nematoda		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221

	Volume	Page
Nematodes		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu *(Pennisetum clandestinum)* pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK.....	56	223–234
Nematodirus		
Overberg Research Projects. IV. The development of resistance to *Nematodirus* in lambs and spontaneous cure of *Teladorsagia* in weaners. R. K. REINECKE	56	81–84
Nematodirus abnormalis		
Nematodirus abnormalis (May, 1920) in sheep in the south-western part of the Cape Province. J. P. LOUW	56	141–142
Nguni		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER.....	56	145–146
Nucleic acid		
The isolation of nucleic acid sequences specific for *Cowdria ruminantium*. S. C. WILKINS and R. E. AMBROSIO..	56	127–129
Nymphae		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Oestrus ovis		
Overberg research projects. VI. The biology and control of *Oestrus ovis* in sheep in the winter rainfall areas of the southern Cape. J. P. LOUW	56	239–244
Oreochromis mossambicus		
The use of electronarcosis as anaesthetic in the cichlid, *Oreochromis mossambicus* (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Overberg research projects		
Overberg Research Projects. IV. The development of resistance to *Nematodirus* in lambs and spontaneous cure of *Teladorsagia* in weaners. R. K. REINECKE	56	81–84
Overberg research projects. VI. The biology and control of *Oestrus ovis* in sheep in the winter rainfall areas of the southern Cape. J. P. LOUW	56	239–244
Owambo Mangetti area		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277–284
Paralysis		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Parasites		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Parasites of South African wildlife. IV. Helminths kudu, *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121
Passive immunization		
The effect of passive immunization on active immunity against *Clostridium perfringens* type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA.....	56	251–255
Pennisetum clandestinum		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER.....	56	145–146
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu *(Pennisetum clandestinum)* pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK.....	56	223–234
Pleuropneumonia		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia; microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277–284

	Volume	Page
Polar plugs		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221
Pteridium aquilinum		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER	56	145–146
Q fever		
Scrological evidence of Q fever in cattle in Malawi. G. P. STALEY, J. G. MYBURGH and F. CHAPARRO	56	205–206
Rabbits		
Paralysis of laboratory rabbits by nymphae of *Ixodes rubicundus*, Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Rainbouw trout		
A selective procedure for the field isolation of pathogenic *Streptococcus* spp. of rainbow trout *(Salmo gairdneri)*. R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Redunca arundinum		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Reedbuck		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Resistance to anthelmintics		
The problem of escalating resistance of *Haemonchus contortus* to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49
Rhabdomys pumilio		
The host status of the striped mouse. *Rhabdomys pumilio* in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Rhinotracheitis		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87–98
Rhipicephalus appendiculatus		
Comparative infection rates of *Theileria parva lawrencei* in salivary glands of *Rhipicephalus appendiculatus* and *Rhipicephalus zambeziensis*. E. F. BLOUIN and W. H. STOLTSZ	56	211–213
Hybridization model for *Rhipicephalis appendiculatus* and *R. zambeziensis* by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238
Rhipicephalus zambeziensis		
Comparative infection rates of *Theileria parva lawrencei* in salivary glands of *Rhipicephalus appendiculatus* and *Rhipicephalus zambeziensis*. E. F. BLOUIN and W. H. STOLTSZ	56	211–213
Hybridization model for *Rhipicephalis appendiculatus* and *R. zambeziensis* by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238
Ruminants		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Salivary glands		
The fine structure of developmental stages of *Babesia caballi* in the salivary glands of *Hyalomma truncatum*. E. F. BLOUIN and D. T. DE WAAL	56	189–193
Comparative infection rates of *Theileria parva lawrencei* in salivary glands of *Rhipicephalus appendiculatus* and *Phipicephalus zambeziensis*. E. F. BLOUIN and W. H. STOLTSZ	56	211–213
Salmo gairdneri		
A selective procedure for the field isolation of pathogenic *Streptococcus* spp. of rainbow trout *(Salmo gairdneri)*. R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
Salmonella		
The biochemical differentiation between *Salmonella* and *Citrobacter*. MARTHA L. VAN DER WALT and HELENA C. STEYN	56	263–269

	Volume	Page
Samango monkey		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221
Selenium deficiency		
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. CDIAWO	56	123–125
Sheep		
Nematodirus abnormalis (May, 1920) in sheep in the south-western part of the Cape Province. J. P. LOUW	56	141–142
The heterogenicity of *Cowdria ruminantium* stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu *(Pennisetum clandestinum)* pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223–234
Overberg research projects. VI. The biology and control of *Oestrus ovis* in sheep in the winter rainfall areas of the southern Cape. J. P. LOUW	56	239–244
Shells		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221
Small stock		
Immunity of tick-exposed seronegative and seropositive small stock challenged with two stocks of *Cowdria ruminantium*. J. L. DU PLESSIS and L. VAN GAS	56	185–188
Snail		
Geographical distribution and habitat preferences of the invader freshwater snail species *Lymnaea columella* (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271–275
Streptoccus spp.		
A selective procedure for the field isolation of pathogenic *Streptococcus* spp. of rainbow trout *(Salmo gairdneri)*. R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
The leech *Batracobdelloides tricarinata* (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic *Streptococcus* species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Synhelea		
Afrotropical *Culicoides: Synhelea* Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147–163
Teladorsagia		
Overberg Research Projects. IV. The development of resistance to *Nematodirus* in lambs and spontaneous cure of *Teladorsagia* in weaners. R. K. REINECKE	56	81–84
Theileria parva lawrencei		
Comparative infection rates of *Theileria parva lawrencei* in salivary glands of *Rhipicephalus appendiculatus* and *Rhipicephalus zambeziensis*. E. F. BLOUIN and W. H. STOLTSZ	56	211–213
Thiaminase activity		
Thiaminase activities and thiamine content of *Pteridium aquilinum, Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER	56	145–146
Thiamine content		
Thiaminase activities and thiamine content of *Pteridium aquilinum. Equisetum ramosissimum, Malva parviflora, Pennisetum clandestinum* and *Medicago sativa*. P. MEYER	56	145–146
Ticks		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245–250
The host status of the striped mouse, *Rhabdomys pumilio* in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Tragelaphus strepsiceros		
Parasites of South African wildlife. IV. Helminths of kudu, *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121
Trichiuridae		
The structure of the shell and polar plugs of the egg whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221
Trichuris trichiura		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221

	Volume	Page
Triphenyltetrazolium chloride		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of *Campylobacter* species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143–144
Turkeys		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87–98
Vervet monkey		
Studies of encephalitozoonosis in vervet monkeys *(Cercopithecus pygerythrus)* orally inoculated with spores of *Encephalitozoon cuniculi* isolated from dogs *(Canis familiaris)*. A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1–22
Virus		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87–98
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123–125
Weaners		
Overberg Research Projects. IV. The development of resistance to *Nematodirus* in lambs and spontaneous cure of *Teladorsagia* in weaners. R. K. REINECKE	56	81–84
Whipworms		
The structure of the shell and polar plugs of the egg of the whipworm, *Trichuris trichiura* (Nematoda: Trichiuridae) from the Samango monkey *(Cercopithecus albogularis)*. C. C. APPLETON and J. WHITE	56	219–221
Wild animals		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Wildebeest		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest *(Connochaetes taurinus)*. B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS	56	131–134
Wildebeest-derived malignant catarrhal fever		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL	56	135–139
Wildlife		
Parasites of South African wildlife. III. Helminths of common reedbuck, *Redunca arundinum*, in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Parasites of South African wildlife. IV. Helminths of kudu. *Tragelaphus strepsiceros*, in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111–121